

Plan Year 2016

C and O Employees' Hospital Association Medicare Part D Prescription Drug Plan Step Therapy Criteria (ST)

Step Therapy: In some cases, C and O Employees' Hospital Association Medicare Part D Prescription Drug Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, C and O Employees' Hospital Association Medicare Part D Prescription Drug Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, C and O Employees' Hospital Association Medicare Part D Prescription Drug Plan will then cover Drug B.

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT OUR STEP THERAPY CRITERIA.

The COEHA has a contract with the Federal Government to provide our members with an enhanced Medicare Part D Prescription Drug Plan. Enrollment in C and O Employees' Hospital Association Medicare Part D Prescription Drug Plan depends upon contract renewal.

C and O Employees' Hospital Association Medicare Part D Prescription Drug Plan

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

ACTONEL TAB 5MG, 30MG, 35MG, 150MG

Details

Criteria

Step Therapy requires a trial of alendronate in previous 180 days.

APLENZIN TAB 174MG, 348MG, 522MG

Details

Criteria

Step Therapy requires trial of bupropion SR or bupropion XL in previous 180 days.

ARANESP 10MCG/0.4ML SYR

Details

Criteria Step Therapy requires trial of PROCRIT or EPOGEN

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

ARANESP ALBUMIN FREE INJ 100MCG, 150MCG, 200MCG, 300MCG, 500MCG

Details

Criteria

Step Therapy requires trial of PROCRIT or EPOGEN

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

ARANESP ALBUMIN FREE INJ 25MCG, 40MCG, 60MCG

Details

Criteria

Step Therapy requires trial of PROCRIT or EPOGEN

ARICEPT TAB 23MG

Details

Criteria

Step Therapy requires trial of donepezil 10mg in previous 180 days.

ATELVIA TAB 35MG

Details

Criteria

Step Therapy requires a trial of alendronate in previous 180 days.

BECONASE AQ NASAL 42MCG

Details

Criteria

Patient has tried or was intolerant to TWO (2) of the following agents: flunisolide, fluticasone and NASONEX. BECONASE AQ requires trial of ONE (1) of the following agents: flunisolide, fluticasone or NASONEX.

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

BESIVANCE OPHTH SUSP 0.6%

Details

Criteria

Step Therapy requires trial of one of the following ciprofloxacin, levofloxacin, ofloxacin, VIGAMOX or MOXEZA in previous 180 days.

BONIVA INJ 3MG/3ML

Details

Criteria

Step Therapy requires a trial of alendronate in previous 180 days.

BONIVA TAB 150MG

Details

Criteria Step Therapy requires a trial of alendronate in previous 180 days.

BRINTELLIX TAB 5MG, 10MG, 20MG

Details

Criteria

budesonide nasal inhaler 32mcg

Details

Criteria

Patient has tried or was intolerant to TWO (2) of the following agents: flunisolide, fluticasone and NASONEX. BECONASE AQ requires trial of ONE (1) of the following agents: flunisolide, fluticasone or NASONEX.

DESVENLAFAXINE ER TAB 50MG, 100MG

Details

Criteria

DEXILANT CAP 30MG, 60MG

Details

Criteria Step Therapy requires trial of omeprazole, lansoprazole or pantoprazole in previous 180 days.

DIFICID TAB 200MG

Details

Criteria

Step Therapy requires trial of VANCOCIN.

donepezil tab 23mg

Details

Criteria

Step Therapy requires trial of donepezil 10mg in previous 180 days.

DULOXETINE DR CAP 40MG

Details

Criteria

ENABLEX TAB 7.5MG, 15MG

Details

Criteria

Step Therapy requires trial of Vesicare OR Myrbetriq in previous 180 days. If request for bethanechol, step not required for the treatment of acute postoperative and postpartum nonobstructive (functional) urinary retention and for neurogenic atony of the urinary bladder with retention.

EPINEPHRINE INJ 1MG/ML

Details

Criteria

Step Therapy requires trial of EPIPEN in previous 180 days.

EXTAVIA INJ

Details

Criteria Step Therapy requires trial of two of the following: AVONEX, REBIF or COPAXONE

FETZIMA CAP TITRATION PACK

Details

Criteria

FETZIMA ER CAP 20MG, 40MG, 80MG, 120MG

Details

Criteria

fluvoxamine ER cap 100mg, 150mg

Details

Criteria

gatifloxacin ophth soln 0.5%

Details

Criteria

Step Therapy requires trial of one of the following ciprofloxacin, levofloxacin, ofloxacin, VIGAMOX or MOXEZA in previous 180 days.

GELNIQUE GEL PUMP 3%

Details

Criteria

Step Therapy requires trial of Vesicare OR Myrbetriq in previous 180 days. If request for bethanechol, step not required for the treatment of acute postoperative and postpartum nonobstructive (functional) urinary retention and for neurogenic atony of the urinary bladder with retention.

ibandronate inj 3mg/3ml

Details

Criteria Step Therapy requires a trial of alendronate in previous 180 days.

ibandronate tab 150mg

Details

Criteria Step Therapy requires a trial of alendronate in previous 180 days.

IRENKA CAP 40MG

Details

Criteria

KHEDEZLA TAB 50MG, 100MG

Details

Criteria

METROGEL 1%

Details

Criteria Step Therapy requires trial of FINACEA.

NAMZARIC 14-10MG ER CAP

Details

Criteria

Patient has tried or was intolerant to donepezil and memantine.

NAMZARIC 28-10MG ER CAP

Details

Criteria

Patient has tried or was intolerant to donepezil and memantine.

NORITATE CREAM 1%

Details

Criteria

Step Therapy requires trial of FINACEA.

OMNARIS NASAL 50MCG

Details

Criteria

Patient has tried or was intolerant to TWO (2) of the following agents: flunisolide, fluticasone and NASONEX. BECONASE AQ requires trial of ONE (1) of the following agents: flunisolide, fluticasone or NASONEX.

OXYTROL PATCH 3.9MG

Details

Criteria

Step Therapy requires trial of Vesicare OR Myrbetriq in previous 180 days. If request for bethanechol, step not required for the treatment of acute postoperative and postpartum nonobstructive (functional) urinary retention and for neurogenic atony of the urinary bladder with retention.

PANCREAZE CAP (ALL STRENGTHS)

Details

Criteria Step Therapy requires trial of CREON in previous 180 days.

PENTASA CAP 250MG, 500MG

Details

Criteria Step Therapy requires trial of one of the following ASACOL, DELZICOL or LIALDA in previous 180 days.

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

PERTZYE CAP (ALL STRENGTHS)

Details

Criteria

Step Therapy requires trial of CREON in previous 180 days.

PEXEVA TAB 10MG, 20MG, 30MG, 40MG

Details

Criteria

Step Therapy requires trial of one of the following generic SSRI's in previous 180 days: sertraline, fluoxetine, citalopram, paroxetine or fluvoxamine. If request is for duloxetine, step not required for diabetic peripheral neuropathy, fibromyalgia, or chronic musculoskeletal pain.

PRISTIQ TAB 25MG, 50MG, 100MG

Details

Criteria

Step Therapy requires trial of one of the following generic SSRI's in previous 180 days: sertraline, fluoxetine, citalopram, paroxetine or fluvoxamine. If request is for duloxetine, step not required for diabetic peripheral neuropathy, fibromyalgia, or chronic musculoskeletal pain.

QNASL CHILDRENS NASAL SPRAY 0.04MG

Details

Criteria

QNASL NASAL SPRAY 80MCG

Details

Criteria

RHINOCORT AQUA NASAL SPRAY 32MCG

Details

Criteria

risedronate sodium 35mg tab

Details

Criteria

Step Therapy requires a trial of alendronate in previous 180 days.

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

risedronate sodium DR tab 35mg

Details

Criteria

Step Therapy requires a trial of alendronate in previous 180 days.

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

risedronate sodium tab 5mg, 30mg, 35mg, 150mg

Details

Criteria

Step Therapy requires a trial of alendronate in previous 180 days.

RYTARY 23.75-95MG ER CAP

Details

Criteria

Step Therapy requires trial of carbidopa/levodopa ER tab.

RYTARY 36.25-145MG ER CAP

Details

Criteria Step

Step Therapy requires trial of carbidopa/levodopa ER tab.

RYTARY 48.75-195MG ER CAP

Details

Criteria

Step Therapy requires trial of carbidopa/levodopa ER tab.

RYTARY 61.25-245MG ER CAP

Details

Criteria Step Therapy requires trial of carbidopa/levodopa ER tab.

TOVIAZ TAB 4MG, 8MG

Details

Criteria

Step Therapy requires trial of Vesicare OR Myrbetriq in previous 180 days. If request for bethanechol, step not required for the treatment of acute postoperative and postpartum nonobstructive (functional) urinary retention and for neurogenic atony of the urinary bladder with retention.

ULORIC TAB 40MG, 80MG

Details

Criteria

Step Therapy requires trial of allopurinol in previous 180 days.

URECHOLINE TAB 5MG, 10MG, 25MG, 50MG

Details

Criteria

Step Therapy requires trial of Vesicare OR Myrbetriq in previous 180 days. If request for bethanechol, step not required for the treatment of acute postoperative and postpartum nonobstructive (functional) urinary retention and for neurogenic atony of the urinary bladder with retention.

VANCOCIN CAP 125MG

Details

Criteria

Step Therapy requires trial of metronidazole in previous 180 days

VANCOCIN CAP 250MG

Details

Criteria

Step Therapy requires trial of metronidazole in previous 180 days

Step Therapy Criteria *Last Updated* 4/1/2016

Products Affected

vancomycin cap 125mg, 250mg

Details

Criteria

Step Therapy requires trial of metronidazole in previous 180 days

VERAMYST NASAL SPRAY 27.5MCG

Details

Criteria

VIIBRYD 10/20MG STARTER PACK

Details

Criteria

Step Therapy requires trial of one of the following generic SSRI's in previous 180 days: sertraline, fluoxetine, citalopram, paroxetine or fluvoxamine. If request is for duloxetine, step not required for diabetic peripheral neuropathy, fibromyalgia, or chronic musculoskeletal pain.

VIIBRYD TAB 10MG, 20MG, 40MG

Details

Criteria

Step Therapy requires trial of one of the following generic SSRI's in previous 180 days: sertraline, fluoxetine, citalopram, paroxetine or fluvoxamine. If request is for duloxetine, step not required for diabetic peripheral neuropathy, fibromyalgia, or chronic musculoskeletal pain.

XOPENEX HFA INHALER 45MCG

Details

Criteria Step Therapy requires trial of VENTOLIN HFA in previous 180 days.

ZENPEP CAP (ALL STRENGTHS)

Details

Criteria

Step Therapy requires trial of CREON in previous 180 days.

ZETONNA NASAL 37MCG

Details

Criteria

ZIOPTAN OPHTH SOLN 0.0015%

Details

Criteria

Step Therapy requires trial of latanoprost.

ZYMAXID OPHTH SOLN 0.5%

Details

Criteria

Step Therapy requires trial of one of the following ciprofloxacin, levofloxacin, ofloxacin, VIGAMOX or MOXEZA in previous 180 days.